WEST Search History for Application 10600388

Creation Date: 2008062210:01

Query	DB	Op.	Plur.	Thes.	Date
(metadata or data near4 dictionary or repository or database)with(security near4 logic or application near4 name or module near4 name or package near4 name)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR			02-29-2008
(application or program)near5(generat$4)near5(call)near5(package) and ((metadata or data near4 dictionary or repository or database)with(security near4 logic or application near4 name or module near4 name or package near4 name))	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR			02-29-2008
(call near4 stack) and ((metadata or data near4 dictionary or repository or database)with(security near4 logic or application near4 name or module near4 name or package near4 name))	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR			02-29-2008
(metadata or data near4 dictionary or repository or database)near5(stor$4 or sav$4)with(security near4 logic or application near4 name or module near4 name or package near4 name)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR			02-29-2008
(request$3)near5(database near4 privileges) and ((metadata or data near4 dictionary or repository or database)near5(stor$4 or sav$4)with(security near4 logic or application near4 name or module near4 name or package near4 name))	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR			02-29-2008
(identif$5)near5(trusted)with(application near4 name or module near4 name or package near4 name or security near4 logic)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR			02-29-2008
(call$3)near4(package) and (database near4 privileges)	PGPB, USPT, EPAB, JPAB,	OR			02-29-2008

	DWPI, TDBD				
(kernel)near5(perform$4)near5(call near4 lookup or lookup)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR			02-29-2008
(establish$4 or creat$4)near5(session)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES		02-29-2008
(request$4 or ask$4)near5(database near4 privileges)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES		02-29-2008
(database near4 privileges)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES		02-29-2008
((database near4 privileges)) and ((establish$4 or creat$4)near5(session))	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES		02-29-2008
(verif$4 or authoriz$4 or check$4)near5(security near5 logic)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES		02-29-2008
(repository or database or metadata)near5(includ$4 or incorporat$5 or sav$4 or stor$4)near5(security near5 logic or module near4 name or package near4 name or application near4 name)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES		02-29-2008
		OR	YES		02-29-2008

(verif$5 or authoriz$5 or authenticat$5)near5(user or subscriber or proxy near3 user) and ((establish$4 or creat$4)near5(session))	PGPB, USPT, EPAB, JPAB, DWPI, TDBD			
((verif$5 or authoriz$5 or authenticat$5)near5(user or subscriber or proxy near3 user) and (establish$4 or creat$4)near5(session)) and ((repository or database or metadata)near5(includ$4 or incorporat$5 or sav$4 or stor$4)near5(security near5 logic or module near4 name or package near4 name or application near4 name))	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES	02-29-2008
(stor$4 or sav$4 or preserv$4)near5(call near4 information) and ((metadata or data near4 dictionary or repository or database)with(security near4 logic or application near4 name or module near4 name or package near4 name))	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES	02-29-2008
(check$4 or verif$5 or authenticat$5 or validat$5)near5(call near5 stack or data near4 structure or frames or function near4 names or call near4 identifiers)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES	02-29-2008
(application near4 program)near5(generat$5)with(call$3)near5(package or module or application near4 name) and ((check$4 or verif$5 or authenticat$5 or validat$5)near5(call near5 stack or data near4 structure or frames or function near4 names or call near4 identifiers))	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES	02-29-2008
(verif$5 or authenticat$4 or validat$5)near5(procedures or functions) and (SQL)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES	02-29-2008
((verif$5 or authenticat$4 or validat$5)near5(procedures or functions) and (SQL)) and ((database near4 privileges))	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES	02-29-2008
713/152.ccls.and (establish$4 or creat$4)near5(session)near6 (database)	PGPB, USPT, EPAB, JPAB,	OR	YES	02-29-2008

	DWPI, TDBD				
713/164.ccls.	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES		02-29-2008
713/165.ccls.and ((metadata or data near4 dictionary or repository or database)with(security near4 logic or application near4 name or module near4 name or package near4 name))	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES		02-29-2008
713/167.ccls.	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES		02-29-2008
713/183.ccls.and ((establish$4 or creat$4)near5(session))	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES		02-29-2008
726/1.ccls.and ((establish$4 or creat$4)near5(session))	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES		02-29-2008
726/2.ccls.and ((establish$4 or creat$4)near5(session))	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES		02-29-2008
726/4.ccls.and ((establish$4 or creat$4)near5(session))	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES		02-29-2008
726/6.ccls.and ((establish$4 or creat$4)near5(session))		OR	YES		02-29-2008

	PGPB, USPT, EPAB, JPAB, DWPI, TDBD				
726/8.ccls.and ((establish$4 or creat$4)near5(session))	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES		02-29-2008
726/12.ccls.and ((establish$4 or creat$4)near5(session))	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES		02-29-2008
726/14.ccls.and ((establish$4 or creat$4)near5(session))	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES		02-29-2008
707/1.ccls.and ((establish$4 or creat$4)near5(session))	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES		02-29-2008
707/9.ccls.	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES		02-29-2008
707/100.ccls. and ((establish$4 or creat$4)near5(session))	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES		02-29-2008
707/102.ccls.and ((establish$4 or creat$4)near5(session))	PGPB, USPT, EPAB, JPAB,	OR	YES		02-29-2008

	DWPI, TDBD				
Daniel near Wong.in. and ((establish$4 or creat$4)near5(session))	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES		02-29-2008
Chon near Lei.in. and ((establish$4 or creat$4)near5(session))	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES		02-29-2008
Oracle.as. and ((establish$4 or creat$4)near5(session))	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES		02-29-2008
(metadata or data near4 dictionary or repository or database)with(security near4 logic or application near4 name or module near4 name or package near4 name)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES		06-17-2008
(application or program)near5(generat$4)near5(call)near5(package) and (metadata or data near4 dictionary or repository or database)with(security near4 logic or application near4 name or module near4 name or package near4 name)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES		06-17-2008
(call near4 stack) and ((metadata or data near4 dictionary or repository or database)with(security near4 logic or application near4 name or module near4 name or package near4 name))	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES		06-17-2008
(metadata or data near4 dictionary or repository or database)near5(stor$4 or sav$4)with(security near4 logic or application near4 name or module near4 name or package near4 name)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES		06-17-2008
		OR	YES		06-17-2008

(request$3)near5(database near4 privileges) and ((metadata or data near4 dictionary or repository or database)near5(stor$4 or sav$4)with(security near4 logic or application near4 name or module near4 name or package near4 name))	PGPB, USPT, EPAB, JPAB, DWPI, TDBD			
(identif$5)near5(trusted)with(application near4 name or module near4 name or package near4 name or security near4 logic)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES	06-17-2008
(call$3)near4(package) and (database near4 privileges)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES	06-17-2008
(kernel)near5(perform$4)near5(call near4 lookup or lookup)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES	06-17-2008
(establish$4 or creat$4)near5(session)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES	06-17-2008
(request$4 or ask$4)near5(database near4 privileges)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES	06-17-2008
(database near4 privileges)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES	06-17-2008
((database near4 privileges)) and ((establish$4 or creat$4)near5(session))	PGPB, USPT, EPAB, JPAB,	OR	YES	06-17-2008

	DWPI, TDBD				
(verif$4 or authoriz$4 or check$4)near5(security near5 logic)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES		06-17-2008
(repository or database or metadata)near5(includ$4 or incorporat$5 or sav$4 or stor$4)near5(security near5 logic or module near4 name or package near4 name or application near4 name)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES		06-17-2008
(verif$5 or authoriz$5 or authenticat$5)near5(user or subscriber or proxy near3 user) and ((establish$4 or creat$4)near5(session))	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES		06-17-2008
((verif$5 or authoriz$5 or authenticat$5)near5(user or subscriber or proxy near3 user) and (establish$4 or creat$4)near5(session)) and ((repository or database or metadata)near5(includ$4 or incorporat$5 or sav$4 or stor$4)near5(security near5 logic or module near4 name or package near4 name or application near4 name))	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES		06-17-2008
(stor$4 or sav$4 or preserv$4)near5(call near4 information) and ((metadata or data near4 dictionary or repository or database)with(security near4 logic or application near4 name or module near4 name or package near4 name))	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES		06-17-2008
(check$4 or verif$5 or authenticat$5 or validat$5)near5(call near5 stack or data near4 structure or frames or function near4 names or call near4 identifiers)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES		06-17-2008
(application near4 program)near5(generat$5)with(call$3)near5(package or module or application near4 name) and ((check$4 or verif$5 or authenticat$5 or validat$5)near5(call near5 stack or data near4 structure or frames or function near4 names or call near4 identifiers))	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES		06-17-2008
		OR	YES		06-17-2008

(verif\$5 or authenticat\$4 or validat\$5)near5(procedures or functions) and (SQL)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD			
((verif\$5 or authenticat\$4 or validat\$5)near5(procedures or functions) and (SQL)) and ((database near4 privileges))	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES	06-17-2008
713/152.ccls.and (establish\$4 or creat\$4)near5(session)near6 (database)	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES	06-17-2008
713/164.ccls.	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES	06-17-2008
713/165.ccls.and ((metadata or data near4 dictionary or repository or database)with(security near4 logic or application near4 name or module near4 name or package near4 name))	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES	06-17-2008
713/167.ccls.	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES	06-17-2008
713/183.ccls.and ((establish\$4 or creat\$4)near5(session))	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES	06-17-2008
726/1.ccls.and ((establish\$4 or creat\$4)near5(session))	PGPB, USPT, EPAB, JPAB,	OR	YES	06-17-2008

	DWPI, TDBD				
726/2.ccls.	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES		06-17-2008
726/4.ccls.and ((establish$4 or creat$4)near5(session))	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES		06-17-2008
726/6.ccls.and ((establish$4 or creat$4)near5(session))	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES		06-17-2008
726/8.ccls.and ((establish$4 or creat$4)near5(session))	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES		06-17-2008
726/12.ccls.and ((establish$4 or creat$4)near5(session))	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES		06-17-2008
726/14.ccls.and ((establish$4 or creat$4)near5(session))	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES		06-17-2008
707/1.ccls.and ((establish$4 or creat$4)near5(session))	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES		06-17-2008
707/9.ccls.		OR	YES		06-17-2008

	PGPB, USPT, EPAB, JPAB, DWPI, TDBD				
707/100.ccls. and ((establish$4 or creat$4)near5(session))	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES		06-17-2008
707/102.ccls.and ((establish$4 or creat$4)near5(session))	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES		06-17-2008
Daniel near Wong.in. and ((establish$4 or creat$4)near5(session))	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES		06-17-2008
Chon near Lei.in. and ((establish$4 or creat$4)near5(session))	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES		06-17-2008
Oracle.as. and ((establish$4 or creat$4)near5(session))	PGPB, USPT, EPAB, JPAB, DWPI, TDBD	OR	YES		06-17-2008
(establish$3 near4 session)and(request$3 near4 database near3 privileges)and(verif$5 near4 trusted near4 security near4 logic)and(check$3 near5 call adj stack).CLM.	PGPB	OR	YES		06-17-2008